



SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION BOX

IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROPRIATE METHOD STATEMENT.

THIS DRAWING IS TO BE USED ONLY FOR THE PURPOSE OF ISSUE THAT IT WAS ISSUED FOR AND IS SUBJECT TO AMENDMENT.

**NOTES**

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DOCUMENTATION.
- DO NOT SCALE FROM THIS DRAWING. USE ONLY PRINTED DIMENSIONS.
- ALL DIMENSIONS IN MILLIMETRES. ALL CHANGES, LEVELS AND COORDINATES ARE IN METRES UNLESS DEFINED OTHERWISE.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE PROJECT HEALTH & SAFETY FILE FOR ANY IDENTIFIED POTENTIAL RISKS.
- ALL EXPOSED ARRESSES TO HAVE 25/25 CHAMFERS UNLESS NOTED OTHERWISE. DETAILS ARE REFERENCED THUS:

Detail reference  
Drawing number  
Blank if shown on this drawing.

- TOP OF RETAINING WALLS & DIAPHRAGM WALLS BASED ON 1:200 YEAR FLOOD LEVEL OF +3.2m AOD + 0.7m FREEBOARD.
- 1:200 FLOOD LEVEL INDICATED ON DRAWING INCLUDES FREEBOARD ALLOWANCE.
- REFER SURFACE WATER PUMPING STATION DRAWING YSI-URS-J00-XX-DR-022 FOR PROPOSED PUMPING STATION DRAINAGE DETAILS.

Revision Details	By	Check	Date	Stn/No
GENERAL REVISIONS	SF	GMCF	24.11.14	P2
GENERAL REVISIONS	DSH	GMCF	17.07.14	P1

Purpose of Issue: **PRELIMINARY**

Client: **ROADS Service**

Project Title: **YORK STREET INTERCHANGE**

Drawing Title: **PUMPING STATION GENERAL ARRANGEMENT**

Designed: GMCF	Drawn:	Checked: GMCF	Approved: GMCF	Date: MAR '14
----------------	--------	---------------	----------------	---------------

URS Internal Project No. 47038727      Suitability

Scale @ A1      Zone

AS SHOWN

THIS DOCUMENT HAS BEEN PREPARED PURSUANT TO AND SUBJECT TO THE TERMS OF URS APPOINTMENT BY ITS CLIENT. URS ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING URS EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.

URS Infrastructure & Environment UK Limited  
 Beech Hill House  
 Beech Hill Road, Belfast  
 BT5 7BP  
 Tel: +44 (0)28 9070 5111  
 Fax: +44 (0)28 9079 5551  
 www.ursi.com

**URS**

Drawing Number: <b>YSI-URS-PS-01-DR-SE-00001</b>	Rev: <b>P2</b>
--	----------------

PLO Date: 11/02/14 11:58 AM  
 File Name: YSI-URS-PS-01-DR-SE-00001